





The sizes are expressed in millimeters.

DESIGN MICHELE GROPPI - 2022  
LAMPADA DA PARETE E SOFFITTO - METALLO - SPECCHIO  
WALL AND CEILING LAMP - METAL - MIRROR

REFLEX

 ENDLESS SYSTEM VERSION AVAILABLE

CE  IP20




1A0850400.27.40	STANDARD - 2700K	48 V DC - 23 W LED 2700K - 2158 lm - CRI > 90 / 3000K - 2320 lm - CRI > 90 PIANO A SPECCHIO (DOWN) CON RETRO NERO (UP) KIT INSTALLAZIONE OBBLIGATORIO NON INCLUSO MIRROR TOP (DOWN) WITH BLACK BACK SIDE (UP) COMPULSORY INSTALLATION KIT NOT INCLUDED
1A0850400.30.40	STANDARD - 3000K	

KIT INSTALLAZIONE OBBLIGATORI / COMPULSORY INSTALLATION KITS

1Z1120550	STANDARD	DRIVER INPUT 110-240 V - 50/60 Hz - OUTPUT 48 V DC - 65 W - IP20 1-10 V DIMMABLE
1Z0830820	STANDARD	DRIVER INPUT 220-240 V - 50/60 Hz - OUTPUT 48 V DC - 60 W - IP20 DALI DIMMABLE



1A0850400.27.40 / 1A0850400.30.40 - INSTALLAZIONE CON KIT DI ALIMENTAZIONE REMOTO / INSTALLATION WITH REMOTE POWER SUPPLY KIT






DESIGN MICHELE GROPPI - 2022  
LAMPADA DA PARETE - METALLO - SPECCHIO  
WALL LAMP - METAL - MIRROR


REFLEX




CE  IP20




1A0850400.27.40	STANDARD - 2700K - ENDLESS	48 V DC - 23 W LED
1A0850400.30.40	STANDARD - 3000K - ENDLESS	2700K - 2158 lm - CRI > 90 / 3000K - 2320 lm - CRI > 90
		PIANO A SPECCHIO (DOWN) CON RETRO NERO (UP)
		KIT DI ALIMENTAZIONE OBBLIGATORIO ENDLESS NON INCLUSO
		MIRROR TOP (DOWN) WITH BLACK BACK SIDE (UP)
		COMPULSORY ENDLESS POWER SUPPLY KIT NOT INCLUDED




KIT DI ALIMENTAZIONE CON SPINA / POWER SUPPLY KIT WITH PLUG





KIT ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE KIT



KIT DI ALIMENTAZIONE REMOTO / REMOTE POWER SUPPLY KIT







CE IP20


1A3470300.00.00	BIANCO OPACO / MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
1A3470400.00.00	NERO OPACO / MATT BLACK - 5 m		
1A0050300.00.00	BIANCO OPACO / MATT WHITE - 10 m		
1A0050400.00.00	NERO OPACO / MATT BLACK - 10 m		

1A0370000.00.00	STANDARD	KIT FISSAGGIO PARETI RUVIDE / FIXING ROUGH WALLS KIT 2,5 m	
-----------------	----------	---	--


1A3480300.00.00	BIANCO OPACO / MATT WHITE	BOX MORSETTI CON 2 MORSETTI INCLUSI / TERMINAL BOX WITH 2 TERMINALS INCLUDED	
1A3480400.00.00	NERO OPACO / MATT BLACK		

1A0030300.00.00	BIANCO OPACO / MATT WHITE	BASE ALIMENTAZIONE / POWER BASE	
1A0030400.00.00	NERO OPACO / MATT BLACK		

1A3490000.00.00	STANDARD	MORSETTI - 2 PEZZI / TERMINALS - 2 PIECES	
-----------------	----------	---	--



KIT ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE KIT



KIT ALIMENTAZIONE OBBLIGATORIO PER SISTEMA ENDLESS ON/OFF E CASAMBI  
 COMPULSORY POWER SUPPLY KIT FOR ENDLESS ON/OFF SYSTEM AND CASAMBI


CE IP20

1A1330300.00.00	BIANCO OPACO / MATT WHITE - ON/OFF	KIT DI ALIMENTAZIONE CON SPINA POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 60 W - IP20	
1A1330400.00.00	NERO OPACO / MATT BLACK - ON/OFF		


1A2450300.00.00	BIANCO OPACO / MATT WHITE - ON/OFF	KIT ROSONE PARETE - SOFFITTO - REMOTO WALL - CEILING ROSE KIT - REMOTE INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 60 W - IP20	
1A2450400.00.00	NERO OPACO / MATT BLACK - ON/OFF		

1A0260300.00.00	BIANCO OPACO / MATT WHITE - ON/OFF	KIT DI ALIMENTAZIONE CON SPINA POWER SUPPLY KIT WITH PLUG INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20	
1A0260400.00.00	NERO OPACO / MATT BLACK - ON/OFF		


1A1020300.00.00	BIANCO OPACO / MATT WHITE - ON/OFF	KIT ROSONE PARETE - SOFFITTO - REMOTO WALL - CEILING ROSE KIT - REMOTE INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20	
1A1020400.00.00	NERO OPACO / MATT BLACK - ON/OFF		



KIT ROSONE DA PARETE E SOFFITTO / WALL AND CEILING ROSE KIT



KIT DI ALIMENTAZIONE REMOTO / REMOTE POWER SUPPLY KIT



KIT ALIMENTAZIONE OBBLIGATORIO PER SISTEMA ENDLESS DIMMERABILE  
COMPULSORY POWER SUPPLY KIT FOR ENDLESS DIMMABLE SYSTEM

CE IP20

1A1340300.00.06	BIANCO OPACO / MATT WHITE	KIT DI ALIMENTAZIONE CON SPINA - DIMMER POWER SUPPLY KIT WITH PLUG - DIMMER INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 60 W - IP20	
1A1340400.00.06	NERO OPACO / MATT BLACK		

1A4090300.00.07	BIANCO OPACO / MATT WHITE - DIM	KIT ROSONE PARETE - SOFFITTO WALL - CEILING ROSE KIT INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 60 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
1A4090400.00.07	NERO OPACO / MATT BLACK - DIM		

1A1800300.00.06	BIANCO OPACO / MATT WHITE	KIT DI ALIMENTAZIONE CON SPINA - DIMMER POWER SUPPLY KIT WITH PLUG - DIMMER INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20	
1A1800400.00.06	NERO OPACO / MATT BLACK		

1A1810300.00.07	BIANCO OPACO / MATT WHITE - DIM	KIT ROSONE PARETE - SOFFITTO WALL - CEILING ROSE KIT INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
1A1810400.00.07	NERO OPACO / MATT BLACK - DIM		

KIT ALIMENTAZIONE OBBLIGATORIO PER SISTEMA ENDLESS REMOTO  
COMPULSORY POWER SUPPLY KIT FOR ENDLESS REMOTE SYSTEM

1Z1120600	STANDARD	DRIVER REMOTO REMOTE DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 60 W - IP20 1-10 V DIMMABLE	

1Z1120250	STANDARD	DRIVER REMOTO REMOTE DRIVER INPUT 100-240 V - 50/60 Hz - OUTPUT 48 V DC - 150 W - IP67 1-10 V DIMMABLE	

1Z2170010	STANDARD	CONTROLLER DALI - PUSH - 1-10 V - TRIAC - IP20	





Light is free

PRODOTTI COMPATIBILI CON IL SISTEMA ENDLESS / INTEGRATED PRODUCTS WITH ENDLESS SYSTEM - ABSORPTION MAX 3,125 A

POWER KIT:

1A133XX00.00.00	POWER SUPPLY KIT WITH PLUG - 48V - NOT DIMMABLE
1A245XX00.00.00	WALL CEILING ROSE KIT - REMOTE - 48V - NOT DIMMABLE
1A134XX00.00.06	POWER SUPPLY KIT WITH PLUG - 48V - DIMMABLE
1A409XX00.00.07	WALL CEILING ROSE KIT - 48V - DALI - PUSH - 0/1-10 V DIMMABLE
1Z1120600	REMOTE DRIVER - 48 V - 1-10 V DIMMABLE
1A026XX00.00.00	POWER SUPPLY KIT WITH PLUG - 48V - NOT DIMMABLE
1A102XX00.00.00	WALL CEILING ROSE KIT - REMOTE - 48V - NOT DIMMABLE
1A180XX00.00.06	POWER SUPPLY KIT WITH PLUG - 48V - DIMMABLE
1A181XX00.00.07	WALL CEILING ROSE KIT - 48V - DALI - PUSH - 0/1-10 V DIMMABLE
1Z1120250	REMOTE DRIVER - 48 V - 1-10 V DIMMABLE


ELEMENTS:

1A1080300.00.40	SPOT - MATT WHITE - ENDLESS
1A1080400.00.40	SPOT - MATT BLACK - ENDLESS
1A1080300.00.41	SPOT - MATT WHITE - ENDLESS - CASAMBI
1A1080400.00.41	SPOT - MATT BLACK - ENDLESS - CASAMBI
1A2340300.27.40	DOT P - MATT WHITE - 2700K - ENDLESS
1A2340300.30.40	DOT P - MATT WHITE - 3000K - ENDLESS
1A2340400.27.40	DOT P - MATT BLACK - 2700K - ENDLESS
1A2340400.30.40	DOT P - MATT BLACK - 3000K - ENDLESS
1A2340300.27.41	DOT P - MATT WHITE - 2700K - ENDLESS - CASAMBI
1A2340300.30.41	DOT P - MATT WHITE - 3000K - ENDLESS - CASAMBI
1A2340400.27.41	DOT P - MATT BLACK - 2700K - ENDLESS - CASAMBI
1A2340400.30.41	DOT P - MATT BLACK - 3000K - ENDLESS - CASAMBI
1A2280300.27.40	MIRA - MATT WHITE - 2700K - ENDLESS
1A2280300.30.40	MIRA - MATT WHITE - 3000K - ENDLESS
1A2280400.27.40	MIRA - MATT BLACK - 2700K - ENDLESS
1A2280400.30.40	MIRA - MATT BLACK - 3000K - ENDLESS
1A2280300.27.41	MIRA - MATT WHITE - 2700K - ENDLESS - CASAMBI
1A2280300.30.41	MIRA - MATT WHITE - 3000K - ENDLESS - CASAMBI
1A2280400.27.41	MIRA - MATT BLACK - 2700K - ENDLESS - CASAMBI
1A2280400.30.41	MIRA - MATT BLACK - 3000K - ENDLESS - CASAMBI
1A2960300.27.40	MISS - MATT WHITE - 2700K - ENDLESS
1A2960300.30.40	MISS - MATT WHITE - 3000K - ENDLESS
1A2960400.27.40	MISS - MATT BLACK - 2700K - ENDLESS
1A2960400.30.40	MISS - MATT BLACK - 3000K - ENDLESS
1A2960800.27.40	MISS - BRUSHED BRASS - 2700K - ENDLESS
1A2960800.30.40	MISS - BRUSHED BRASS - 3000K - ENDLESS
1A2962600.27.40	MISS - MATT TOTAL BLACK - 2700K - ENDLESS
1A2962600.30.40	MISS - MATT TOTAL BLACK - 3000K - ENDLESS
1A2980300.27.40	CATHODE - MATT WHITE - 2700K - ENDLESS
1A2980300.30.40	CATHODE - MATT WHITE - 3000K - ENDLESS
1A2980800.27.40	CATHODE - BRUSHED BRASS - 2700K - ENDLESS
1A2980800.30.40	CATHODE - BRUSHED BRASS - 3000K - ENDLESS
1A0850400.27.40	REFLEX - 2700K - ENDLESS
1A0850400.30.40	REFLEX - 3000K - ENDLESS
1A2250400.27.40	INFINITO 6 - MATT BLACK - 2700K - ENDLESS
1A2250400.30.40	INFINITO 6 - MATT BLACK - 3000K - ENDLESS
1A2260400.27.40	INFINITO 12 - MATT BLACK - 2700K - ENDLESS
1A2260400.30.40	INFINITO 12 - MATT BLACK - 3000K - ENDLESS
1A2130400.27.40	FLASH 6 - MATT BLACK - 2700K - ENDLESS
1A2130400.30.40	FLASH 6 - MATT BLACK - 3000K - ENDLESS
1A2150400.27.40	FLASH 12 - MATT BLACK - 2700K - ENDLESS
1A2150400.30.40	FLASH 12 - MATT BLACK - 3000K - ENDLESS


WATTAGE	AMPERE (A)
60	MAX 1,25
60	MAX 1,25
60	MAX 1,25
60	MAX 1,25
60	MAX 1,25
150	MAX 3,125
150	MAX 3,125
150	MAX 3,125
150	MAX 3,125
150	MAX 3,125
150	MAX 3,125

13	0,34
13	0,34
15,5	0,4
15,5	0,4
13	0,34
13	0,34
13	0,34
13	0,34
15,5	0,4
15,5	0,4
15,5	0,4
15,5	0,4
6	0,16
6	0,16
6	0,16
6	0,16
8,5	0,22
8,5	0,22
8,5	0,22
8,5	0,22
5,5	0,14
5,5	0,14
5,5	0,14
5,5	0,14
5,5	0,14
5,5	0,14
5,5	0,14
5,5	0,14
5,5	0,14
23	0,57
23	0,57
57	1,48
57	1,48
114	2,61
114	2,61
57	1,48
57	1,48
114	2,61
114	2,61


MIRA ENDLESS




DOT P ENDLESS



SPOT ENDLESS



REFLEX




MISS ENDLESS



CATHODE ENDLESS



INFINITO 6 - INFINITO 12 ENDLESS



FLASH 6 - FLASH 12 ENDLESS

