

Catifa 80


Design by Lievore Altherr Molina, 2006

Art. 2009

Lounge chair with polished or powder-coated aluminium pedestal base, available in the swivel version (Art. 2009) or with return mechanism (Art. 2028) The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material.




Dimensions *



* File CAD 2D - 3D available for download at www.arper.com


Frame Base



arper

Shell

Carded In



Graded In

kvadrat

camira

Gabriel®

Catifa 80

Design by Lievore Altherr Molina, 2006

SHIPMENT DETAILS

Art.2009

1 pz = 1  - kg 26,54/ m³ 0,588

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2000 - EN 13761:2002 6.7
- EN 1728:2000 - EN 13761:2002 6.2.2
- EN 1728:2000 - EN 13761:2002 6.15
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1022:05
- EN 1728:2000 - EN 13761:2002 6.2.1
- EN 1728:2000 - EN 13761:2002 6.8
- EN 1728:2000 - EN 13761:2002 6.16

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.2009

COL requirement m² 3.14
H 140 cm. COM Meterage m 2.37

FIRE RETARDANT TEST

arper

www.arper.com
info@arper.com

Catifa 80


Design by Lievore Altherr Molina, 2006

Art. 2028

Lounge chair with polished or powder-coated aluminium pedestal base, available in the swivel version (Art. 2009) or with return mechanism (Art. 2028) The polyurethane shell is upholstered in leather, coated fabric, fabric or customer's material.




Dimensions *



* File CAD 2D - 3D available for download at www.arper.com


Frame Base



arper

Shell

Carded In



Graded In

kvadrat

camira

Gabriel®

info@arper.com


www.arper.com

Catifa 80

Design by Lievore Altherr Molina, 2006

SHIPMENT DETAILS

Art.2028

1 pz = 1  - kg 26,1/ m² 0,596

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2000 - EN 15373:2007 6.2.2

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.2028

COL requirement m² 3.14
H 140 cm. COM Meterage m 2.37

FIRE RETARDANT TEST

arper

www.arper.com
info@arper.com

www.arper.com