

PYLITE

RP-E-1601




Rakumba

WWW.RAKUMBA.COM
SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2023


Rakumba





"Pyrite crystals have an improbably cubic, metallic beauty that belies a natural origin. The Pylite luminaire draws on these same captivating properties."

————— *Dan Treacy*



PYLITE

RP-E-1601

A light of raw geometric intrigue. Pylite references the crystalline form of Pyrite minerals to conceive a light of intricate composition. A series of interlocking prisms emit light from seemingly invisible sources, combining into a grand sculptural form - solid and metallic, but with a light footed stance.

The cuboid form shifts in silhouette from different viewpoints - emphasised when suspended as clustered pendants. The table form serves as a bold statement piece on a reception counter or credenza, while the impactful scale encourages placement as a low floor lamp, accenting a landing or providing a side table counterpoint beside a sofa.

Pylite is available in powdercoated or solid satin brass finishes.



"The form reflects light across carefully angled facets, creating soft gradients of illumination that totally obscure their origin."

————— *Dan Treacy*




MODELS



FLOOR/TABLE

PENDANT

FINISHES



SATIN BRASS

BURNISHED COPPER POWDERCOAT

MEDIUM BRONZE POWDERCOAT





BLACK POWDERCOAT



WHITE POWDERCOAT

DIMENSIONS

FLOOR/TABLE



PENDANT



OPTIONS

FLOOR/TABLE		
FINISH:		SATIN BRASS* BURNISHED COPPER POWDERCOAT MEDIUM BRONZE POWDERCOAT BLACK POWDERCOAT WHITE POWDERCOAT
PENDANT		
FINISH:		SATIN BRASS* BURNISHED COPPER POWDERCOAT MEDIUM BRONZE POWDERCOAT BLACK POWDERCOAT WHITE POWDERCOAT
SUSPENSION:		2M 5M CUSTOM (MAX 10M)
DIMMING:		NON-DIMMABLE PHASE CUT/TRIAC 1-10V DALI/SWITCH-DIM CASAMBI WIRELESS
FLEX (PENDANT):		BLACK BRAIDED WHITE BRAIDED BRASS BRAIDED
80MM SEAMLESS CANOPY:		BLACK WHITE SILVER BRASS

*Rakumba's clear protection coating significantly increases resistance to oxidation and surface changes over time.

Longevity is not guaranteed for a fixed time period or for all environments; this will vary depending on location, site conditions, cleaning, exposure to caustic substances etc. We recommend treating the surface with care to preserve it as long as possible.

Once damaged, the clear protection coating may be restored – please contact Rakumba for more information.

DATA

RP-E-1601	TABLE/FLOOR	PENDANT
LIGHTSOURCE	INTEGRATED LED	
POWER	45W	
LUMENS (SOURCE)	5625lm	
COLOUR TEMPERATURE	3000K	
CRI	CRI80	
PRIMARY VOLTAGE (TO DRIVER)	220-240VAC	
SECONDARY VOLTAGE (TO FITTING)	24VDC	
DRIVER LOCATION	CORDSET	REMOTE
PACKED WEIGHT	10-16KG	
PACKED DIMENSION (CM)	47 X 47 X 47	
IP RATING	IP20	
L70	72,000 HOURS	
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE	

DANIEL TREACY

As Rakumba's Head of Design, Dan Treacy leads Rakumba's in-house product design and development team. Dan is driven by an insatiable interest in how things are made, and the storytelling behind their design. An award winning designer himself, Dan's industry reputation for design and engineering excellence speaks for itself. He is responsible for the meticulous detailing and complex technical problem solving underpinning Rakumba's design ethos 'effortless complexity'.

