

RAMUS

RP-E-1605




Rakumba


WWW.RAKUMBA.COM
SALES@RAKUMBA.COM

ALL RIGHTS RESERVED © RAKUMBA, 2021
PHOTOGRAPHY CREDIT: HAYDN CATTACH

Rakumba







RAMUS

RP-E-1605

Taken from the Latin for 'branching', Ramus draws inspiration from the captivating dividing and linking structures found throughout the natural world.

Each softly illuminated, double-sided LED node smoothly transitions into customisable length arms, extending in up to five different directions at scales that can be tailored to an individual space. At each subsequent node, the adjoining arms may be plugged in at nonplanar angles, building three dimensional structures of great intricacy.

A rare ability of this extending structure to link back upon itself evokes diverse narratives, from the botanical, to the astronomical and molecular.

Uncompromisingly modern, these highly configurable sculptures can run up walls, across ceilings, along hallways, and fill grand voids with constellations of light; bringing glare free illumination and a sense of intrigue to architecture.

Cast from solid aluminium, Ramus is available in myriad finishes, from polished nickel to powdercoat bronze. Curated configurations are presented by the Rakumba studio for convenient selection, with bespoke arrangements also available through consultation.

Ramus: Lighting through sculpture and story.



FINISHES



SATIN BLACK POWDERCOAT



SATIN WHITE POWDERCOAT



MEDIUM BRONZE POWDERCOAT



POLISHED NICKEL


OPTIONS

MODULAR PENDANT SYSTEM


CONFIGURATION:	☐	A - F
	☐	CUSTOM
FINISH:	☐	SATIN BLACK POWDERCOAT
	☐	SATIN WHITE POWDERCOAT
	☐	MEDIUM BRONZE POWDERCOAT
	☐	POLISHED NICKEL
	☐	CUSTOM
SUSPENSION	☐	2M (STANDARD)
	☐	5M
	☐	CUSTOM (MAX 10M)
FLEX:	☐	ULTRA FINE BLACK BRAIDED
	☐	ULTRA FINE WHITE BRAIDED
SEAMLESS CANOPY:	☐	BLACK
	☐	WHITE
	☐	SILVER
	☐	BRASS
	☐	NONE
DIMMING:	☐	NON DIMMABLE (REMOTE DRIVER)
	☐	PHASE CUT/TRIAC (REMOTE DRIVER)
	☐	DALI/SWITCH-DIM (REMOTE DRIVER)
	☐	1-10V (REMOTE DRIVER)

CONFIGURATIONS


A



B




C




CONFIGURATIONS

D




E




CONFIGURATIONS

F



G




DIMENSIONS

ALL DIMENSIONS IN MILLIMETRES

UP TO 5 ARMS PER MODULE // CONFIGURATIONS EXTENDABLE INDEFINITELY

ROD LENGTH UP TO 2 METRES



DATA


RP-E-1605	MODULES	
	STANDARD	SUSPENSION (NO UPLIGHTING)
LIGHTSOURCE	INTEGRATED LED	
POWER	6W	3W
LUMENS (SOURCE)	700LM	350lm
LUMENS (DELIVERED)	-	-
COLOUR TEMPERATURE	3000K	
CRI	CRI80	
PRIMARY VOLTAGE (TO DRIVER)	220-240VAC	
SECONDARY VOLTAGE (TO FITTING)	24VDC CONSTANT VOLTAGE	
WEIGHT (PER MODULE)	350g	
WEIGHT (ARM - PER METER)	300g	
DRIVER LOCATION	REMOTE	
IP RATING	IP20	
L70	72,000 HOURS	
APPROVALS	AUSTRALIA, NEW ZEALAND, EUROPE	

CONFIGURATION	NO. OF MODULES	SUSPENSION	PRODUCT DIMENSIONS (APPROX)
A	8	1 CANOPY // 3 PUCKS	260 X 200 X 120CM
B	8	1 CANOPY	120 X 110 X 100CM
C	6	1 CANOPY // 2 PUCKS	270 X 250 X 200CM
D	10	1 CANOPY // 2 PUCKS	250 X 100 X 35CM
E	16	1 CANOPY // 3 PUCKS	260 X 170 X 150CM
F	12	1 CANOPY // 2 PUCKS	180 X 100 X 120CM
G	11	1 CANOPY // 3 PUCKS	160 X 120 X 110CM

DIMENSIONS CUSTOMISABLE - ARM LENGTH UP TO 2 METRES

STANDARD SINGLE DRIVER POWERS UP TO 16 LIGHT MODULES







RAKUMBA DESIGN TEAM

Rakumba has been producing custom-made feature lighting for the Australian design industry since 1968. Collaborating with designers across a wide range of sectors from commercial to residential, we take pride in our bespoke service, attention to design detailing and ability to deliver on any scale of project.

From first sketch to finished product, every Rakumba-designed piece goes beyond the ordinary. When creating a product we constantly ask the same question with pride: 'How can we make this better?' We believe this push for perfection and the merging of craft and design is where beauty is made.